

# BONE PLATES



- Narrow Bone Plates
- Broad Bone Plates
- Thin Narrow Bone Plates
- Semi-Tubular Plates
- Sherman Plates
- T and L Bone Plates
- Spoon Plates and Cloverleaf Plates
- Small Fragment Plates and Small T-Plates
- Instruments for Plates

All Plates are manufactured from Medical Grade Stainless Steel (ISO 5832-1) and Medical Grade Titanium (ISO 5832-3)

## **V2-EVREN**

Sanayi Mah. Sancaklı Cad. Başaklı Sok. No:20  
34165 Güngören - İstanbul / TÜRKİYE

Tel: +90 212 644 53 42 Pbx.

Fax: +90 212 504 02 28

e-mail:sales@v2evren.com.tr

<http://www.v2evren.com.tr>

Contact us for technical information



# NARROW BONE PLATES

With Round Holes



## Fixation with 4.5 and 6.5 mm Screws

Profile

Width	12mm
Thickness	4.0mm
Hole spacing	16 and 26 mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Holes	Cat. No	Lenght (mm)	Holes
PL-0102	39	2	PL-0110	167	10
PL-0103	55	3	PL-0111	183	11
PL-0104	71	4	PL-0112	199	12
PL-0105	87	5	PL-0113	215	13
PL-0106	103	6	PL-0114	231	14
PL-0107	119	7	PL-0115	247	15
PL-0108	135	8	PL-0116	263	16
PL-0109	151	9			

# BROAD BONE PLATES

With Round Holes



## Fixation with 4.5 and 6.5 mm Screws

Profile

Width	16mm
Thickness	5.0mm
Hole spacing	16 and 26 mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Holes	Cat. No	Lenght (mm)	Holes
PL-0204	71	4	PL-0211	183	11
PL-0205	87	5	PL-0212	199	12
PL-0206	103	6	PL-0213	215	13
PL-0207	119	7	PL-0214	231	14
PL-0208	135	8	PL-0216	263	16
PL-0209	151	9	PL-0218	295	18
PL-0210	167	10			

# NARROW BONE PLATES

With Compression Holes



## Fixation with 4.5 and 6.5 mm Screws


Profile

Width	12mm
Thickness	4.0mm
Hole spacing	16 and 26 mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Holes	Cat. No	Lenght (mm)	Holes
PL-0302	39	2	PL-0310	167	10
PL-0303	55	3	PL-0311	183	11
PL-0304	71	4	PL-0312	199	12
PL-0305	87	5	PL-0313	215	13
PL-0306	103	6	PL-0314	231	14
PL-0307	119	7	PL-0315	247	15
PL-0308	135	8	PL-0316	263	16
PL-0309	151	9			

# BROAD BONE PLATES

With Compression Holes



## Fixation with 4.5 and 6.5 mm Screws

Profile

Width	16mm
Thickness	5.0mm
Hole spacing	16 and 26 mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Holes	Cat. No	Lenght (mm)	Holes
PL-0404	71	4	PL-0411	183	11
PL-0405	87	5	PL-0412	199	12
PL-0406	103	6	PL-0413	215	13
PL-0407	119	7	PL-0414	231	14
PL-0408	135	8	PL-0416	263	16
PL-0409	151	9	PL-0418	295	18
PL-0410	167	10			

# THIN NARROW BONE PLATES

With Round Holes



## Fixation with 4.5 mm Screws

Profile

Width	11mm
Thickness	2.5mm
Hole spacing	16 and 26 mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Holes	Cat. No	Lenght (mm)	Holes
PL-0452	39	2	PL-0310	167	10
PL-0453	55	3	PL-0311	183	11
PL-0454	71	4	PL-0312	199	12
PL-0455	87	5	PL-0313	215	13
PL-0456	103	6	PL-0314	231	14
PL-0457	119	7	PL-0315	247	15
PL-0458	135	8	PL-0316	263	16
PL-0459	151	9			

# NARROW LENGTHENING PLATES



## Fixation with 4.5 and 6.5 mm Screws

Narrow Lengthening Plates (8 holes)

Profile

Width	12mm
Thickness	4.0mm
Hole spacing	13mm
Material	Stainless Steel ISO 5832-2

Cat. No	Total Lenght (mm)	Holes
PL-0730	135	30
PL-0740	145	40
PL-0750	155	50
PL-0760	165	60
PL-0770	175	70
PL-0780	185	80

# BROAD LENGTHENING PLATES



## Fixation with 4.5 and 6.5mm Screws

Profile

Width	16mm
Thickness	5.0mm
Hole spacing	12 mm
Material	Stainless Steel ISO 5832-1

### Broad Lengthening Plates (8 holes)

Cat. No	Total Length (mm)	Length (mm)
PL-0830	135	30
PL-0840	145	40
PL-0850	155	50
PL-0860	165	60

### Broad Lengthening Plates (10 holes)

Cat. No	Total Length (mm)	Length (mm)
PL-0905	179	50
PL-0906	189	60
PL-0907	199	70
PL-0908	209	80
PL-0909	219	90
PL-0910	229	100
PL-0911	239	110
PL-0912	249	120

# SEMI-TUBULAR PLATES

With Round Holes



## Fixation with 4.5 and 6.5mm Screws

Profile

Width	12mm
Thickness	1.0mm
Hole spacing	16 ve 26mm
Material	Stainless Steel ISO 5832-1

Cat. No	Length (mm)	Holes	Cat. No	Length (mm)	Holes
PL-0502	39	2	PL-0508	135	8
PL-0503	55	3	PL-0509	151	9
PL-0504	71	4	PL-0510	167	10
PL-0505	87	5	PL-0511	183	11
PL-0506	103	6	PL-0512	199	12
PL-0507	119	7			

# SHERMAN PLATES



## Fixation with 4.5mm Screws

Profile

Width	11mm
Thickness	2.5mm
Hole spacing	16 ve 32mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Holes	Cat. No	Lenght (mm)	Holes
PL-1502	43	2	PL-1508	139	8
PL-1503	59	3	PL-1509	155	9
PL-1504	75	4	PL-1510	171	10
PL-1505	91	5	PL-1511	187	11
PL-1506	107	6	PL-1512	203	12
PL-1507	123	7			



## Fixation with 4.5mm Screws

Profile

Width	11mm
Thickness	2.5mm
Hole spacing	16 mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Holes
PL-1602	27	2
PL-1603	43	3
PL-1604	59	4
PL-1605	75	5
PL-1606	91	6
PL-1607	107	7
PL-1608	123	8
PL-1609	139	9

# T-BONE PLATES

With Round Holes



**Fixation with 4.5 and 6.5mm Screws**

Material      Stainless Steel ISO 5832-1

Cat. No	Length (mm)	No of Holes in Shaft
PL-2603	68	3
PL-2604	84	4
PL-2605	100	5
PL-2606	116	6
PL-2607	132	7
PL-2608	148	8

# T-BUTTRESS PLATES

With Round Holes




**Fixation with 4.5 and 6.5mm Screws**

Material      Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	No of Holes in Shaft
PL-2704	81	4
PL-2705	97	5
PL-2706	113	6

# L-BUTTRESS PLATES

Right Angled



**Fixation with 4.5 and 6.5mm Screws**

Material      Stainless Steel ISO 5832-1

**PL - 2904**

Total Length 87mm

Shaft with 4 holes



# L-BUTTRESS PLATES

Left Angled



**PL - 2804**

Total Length 87mm

Shaft with 4 holes

**Fixation with 4.5 and 6.5mm Screws**

Material Stainless Steel ISO 5832-1

# SPOON PLATES



**Fixation with 4.5 and 6.5mm Screws**

Material Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Shaft Holes
PL-2905	100	5
PL-2906	120	6

# CLOVERLEAF PLATES



**Shaft Fixation with 4.5mm Cortical Screws**  
**Head Fixation with 4.0mm Cancellous Screws**  
Material Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Shaft Holes
PL-2913	88	3
PL-2914	104	4

# CONDYLAR BUTTRESS PLATES

With Compression Holes



**Fixation with 4.5 and 6.5mm Screws**  
Material Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Shaft Holes
PL-2917	158	7
PL-2917	158	7
PL-2918	190	9
PL-2918	190	9

# COBRA HEAD PLATES

With Compression Holes



**Fixation with 4.5 and 6.5mm Screws**  
Material      Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Shaft Holes
PL-3108	168	8
PL-3109	184	9
PL-3110	200	10
PL-3111	216	11

# SMALL FRAGMENT PLATES

With Compression Holes



Dynamic Compression Plate with 3.5 and 4.0mm Screws

Profile

Width	10mm
Thickness	3.0mm
Hole spacing	16 and 26 mm
Material	Stainless Steel ISO 5832-1

Cat. No	Lenght (mm)	Holes	Cat. No	Lenght (mm)	Holes
PL-1302	25	2	PL-1308	97	8
PL-1303	37	3	PL-1309	109	9
PL-1304	49	4	PL-1310	121	10
PL-1305	61	5	PL-1311	133	11
PL-1306	73	6	PL-1312	145	12
PL-1307	85	7			

# SMALL FRAGMENT PLATES

With Round Holes

Fixation with 3.5 and 4.0mm Screws

Profile

Width	10mm
Thickness	3.0mm
Hole spacing	16 and 26 mm
Material	Stainless Steel ISO 5832-1




Cat. No	Lenght (mm)	Holes	Cat. No	Lenght (mm)	Holes
PL-0602	25	2	PL-0607	85	7
PL-0603	37	3	PL-0608	97	8
PL-0604	49	4	PL-0609	109	9
PL-0605	61	5	PL-0610	121	10
PL-0606	73	6			

# SMALL FRAGMENT PLATES

Fixation with 3.5mm and 4.5mm Screws  
Neutralization Plates for Small fractures

Profile

Width	11mm
Thickness	2.5mm
Material	Stainless Steel ISO 5832-1



Cat. No	Lenght (mm)	Holes
PL-0704	52	4
PL-0706	64	6
PL-0707	78	7
PL-0708	92	8

# SMALL FRAGMENT PLATES



Straight Reconstruction Plates 3.5 and 4.0mm Screws

Profile

Width	10mm
Thickness	2.5mm
Hole spacing	12 mm
Material	Stainless Steel ISO 5832-1


Cat. No	Lenght (mm)	Holes	Cat. No	Lenght (mm)	Holes
PL-1405	58	5	PL-1412	142	12
PL-1406	70	6	PL-1414	166	14
PL-1407	82	7	PL-1416	190	16
PL-1408	94	8	PL-1418	214	18
PL-1410	118	10			

# SMALL FRAGMENT PLATES

With Round Holes

For 2.7mm Screws

Material      Stainless Steel ISO 5832-1



Cat. No	Length (mm)	Holes
PL-3702	15	2
PL-3703	23	3
PL-3704	31	4
PL-3706	47	6
PL-3708	63	8
PL-3710	79	10

For 2.7mm Screws


Profile

Width      7mm


Thickness      1mm

Hole spacing      8 mm

Material      Stainless Steel ISO 5832-1



PL-3805 L




PL-3805 R



PL-3905 L




PL-3905 R



PL-3915

# SMALL T-PLATE, RIGHT ANGLED

For the left and right radius




Fixation with 3.5 and 4.0mm Screws

Material            Stainless Steel ISO 5832-1

Cat. No	Shaft Holes	Head Holes	Lenght (mm)
PL-3203	3	3	39
PL-3204	4	4	56
PL-3205	5	3	67
PL-3206	6	4	78

# SMALL T-PLATE, OBLIQUE ANGLED

For the left and right radius




Fixation with 3.5 and 4.0mm Screws

Material            Stainless Steel ISO 5832-1

Cat. No	Shaft Holes	Head Holes	Lenght (mm)
PL-3303	3	3	52
PL-3304	4	3	63
PL-3305	5	3	74





Tibbi Mamüller İmalat ve Ticaret A.Ş.  
Sanayi Mah. Sancaklı Cd. Başaklı Sk.  
No 20 34610 Güngören İstanbul / TÜRKİYE  
Tel:+90 212 644 53 42 Pbx.  
Fax:+90 212 504 02 28  
e-mail:sales@v2evren.com.tr  
<http://www.v2evren.com.tr>